Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1		"10727183" ·	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/29 17:19
L2	0		US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/29 17:19
L3	1	"10/727183"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/29 17:19
L4	1	11/023917	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/29 17:19
S1	89	(levels with access) and (lower with lock with level)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/28 10:11
S2	9	(levels with access) and (lower with lock with level) and (higher with lock with level)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/28 10:12
S3	0	(levels with access) and (lower with lock with level) and (higher with lock with level) and proccesses	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/28 10:12
S4 	8	(levels with access) and (lower with lock with level) and (higher with lock with level) and process	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/28 10:35

<b>S</b> 5	1	(levels with access) and (lower with lock with level) and (higher with lock with level) and threads	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/28 10:36
S6	2	(levels with access) and (higher with lock with level) and threads	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/28 10:36
S7	1	(higher with lock with level) and (threads or processes) and ((loop or repeat\$3) with access) and (release with lock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/28 10:37
S8	64	(higher with lock with level) and (threads or processes) and (release with lock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/28 10:38
59	0	(releave with (previous near2 lock)) and (request with (new near2 lock))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/28 10:39
S10	0	(releave with (previous near2 lock)) same (request with (lock))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/11/28 10:40
S11	0	(releave with (previous near2 lock))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/28 10:40
S12	88	(release\$1 with (previous near2 lock))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/28 10:41

11/29/2007 5:25:36 PM

Page 2

,						r
S13	9	(release\$1 with (previous near2 lock)) same (request with lock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/28 10:47
S14	14	707/8 and (release\$1 with (previous near2 lock))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/28 10:48
S15	0	707/8 and (release\$1 with (previous near2 lock)) and (request with (current near2 lock))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/28 10:48
S16	5	(release\$1 with (previous near2 lock)) and (request with (current near2 lock))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/28 10:49
S17	10	(release\$1 with (previous near2 lock)) same (processes or threads)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/28 10:50
S18	915	718/105	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ÖFF	2007/11/28 10:50
S19	0	S18 and (chedule same (levels with lock))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/28 10:51
S20	0	S18 and (schedule same (levels with lock))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/28 10:51

S21	0	S18 and (schedul\$3 same (levels with lock))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/28 10:51
S22	0	"718"/\$.ccls. and (schedul\$3 same (levels with lock))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/28 10:52
S23	0	"718"/\$.ccls. and (schedule same (levels with lock))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/28 10:52
S24	6	(schedule same (levels with lock))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/28 10:52
S25	188	(schedule same (levels with access))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/28 10:52
S26	3	(schedule same (levels with access)) and (release with lock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/28 10:52
S27	0	(schedule same (levels with access) same processes) and (release with lock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/28 10:52
S28	3	(schedule same (levels with access)) and (release with lock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/28 10:53

						1 <del></del>
S29	233	(levels with access) and (levels with lock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/28 10:53
S30	5	((levels with access) same (threads or processes)) and (levels with lock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/28 10:57
S31	401	(releas\$3 with level) same (request with level)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/28 10:57
S32		(releas\$3 with level) same (request with level) same lock	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/28 11:00
S33	382	(grant\$3 with lock) same (release with lock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/28 11:01
S34	153	(grant\$3 with lock) same (release with lock) same process\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/28 11:09
S35		10/727183	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/28 11:27
S36	2	"6578131".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/28 13:10

S37	2	09/729894	US-PGPUB; USPAT;	OR	OFF	2007/11/28 13:11
			USOCR; EPO; JPO; DERWENT; IBM_TDB			
S38	2	09/729894 and (parallel or simultanuosly)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/28 13:50
S39	2	09/729894 and (parallel or simultaneuosly)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/28 13:51
S40	2	09/729894 and (simultaneously)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/28 14:12
S41	1	"5301337".pn. and database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/28 14:12
S42	1	"5301337".pn. and file	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/28 16:42
S43	. 1	10/727183	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/28 16:44
S44	0	(levels with procceses)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/28 16:44

S45	0	(access with levels) same procceses	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/28 16:45
S46	564	(access with levels) same processes	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/28 16:45
S47	5	(access with levels) same processes same lock	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/28 16:47
S48	19150	level with lock	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/28 16:48
S49	523	level with lock with process	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/28 16:48
S50	9	level with lock with process with indicate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/28 16:50
S51	13	level with lock with process with flag	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/28 16:51
S52	13	lock with level with process with flag	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/28 16:51

CE3	F33	lead with level with	LIC DCDUB:	OB	OFF	2007/11/29 16:51
S53	523	lock with level with process	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/11/28 16:51
S54	51	S53 and (levels with lock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/28 16:57
S55	2	S53 and (levels with lock) and (release with level)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/28 16:57
S56	128	(levels with lock) and (release with level)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/28 16:57
S57	47	(levels with lock) and (release with lock with level)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/28 16:58
S58	64	(levels with lock) and (unlock with level)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/28 16:58
S59	2	(levels with lock) and (unlock with level) and 707/8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF .	2007/11/28 17:13
S60	309	(hierarchy with lock\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/28 17:13

						<del></del>
S61	151	(hierarchy with lock\$1) and levels	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/28 17:13
S62	6	(hierarchy with lock\$1) and (levels same processes)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/28 17:21
S63	8	707/8 and (lock with level with available)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/28 17:44
S64	0	707/8 and (lock with level with available) and (reset near2 value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/28 17:22
S65	11	707/8 and (release with previous with lock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/28 17:44
S66	3	707/8 and ((release with previous with lock) same (request with lock))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/29 10:21
S67	1	"6108654".pn. and table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/29 12:20
S68	2	09/729894	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/29 13:03

S69	1	"6108654".pn. and instances	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/29 17:18
-----	---	-----------------------------	---	----	-----	------------------